

# docs/release-notes.md for @host.today/ht-docker- mkdocs

## Release notes

### Upgrading

To upgrade Material to the latest version, use `pip`:

```
pip install --upgrade mkdocs-material
```

To inspect the currently installed version, use the following command:

```
pip show mkdocs-material
```

### Material 3.x to 4.x

- Material for MkDocs 4.x finally fixes incorrect layout on Chinese systems. The fix includes a mandatory change of the base font-size from `10px` to `20px` which means all `rem` values needed to be updated. Within the theme, `px` to `rem` calculation is now encapsulated in a new function called `px2rem` which is part of the SASS code base.
- If you use Material with custom CSS that is based on `rem` values, note that those values must now be divided by 2. Now, `1.0rem` doesn't map to `10px`, but `20px`. To learn more about the problem and implications, please refer to [the issue](#) in which the problem was discovered and fixed.

### Material 2.x to 3.x

- Material for MkDocs 3.x requires MkDocs 1.0 because the way paths are resolved internally changed significantly. Furthermore, `pages` was renamed to `nav`, so remember to adjust your `mkdocs.yml` file.
- All extended templates *should* continue to work but in order to make them future-proof the `url` filter should be introduced on all paths. Please see the [official release notes](#) for further guidance.

## Material 1.x to 2.x

- Material for MkDocs 2.x requires MkDocs 0.17.1, as this version introduced changes to the way themes can define options. The following variables inside your project's `mkdocs.yml` need to be renamed:
  - `extra.feature` becomes `theme.feature`
  - `extra.palette` becomes `theme.palette`
  - `extra.font` becomes `theme.font`
  - `extra.logo` becomes `theme.logo`
- Favicon support has been dropped by MkDocs, it must now be defined in `theme.favicon` (previously `site_favicon`).
- Localization is now separated into theme language and search language. While there can only be a single language on theme-level, the search supports multiple languages which can be separated by commas. See the getting started guide for more guidance.
- The search tokenizer can now be set through `extra.search.tokenizer`.

# Changelog

## 4.2.0 \_ April 28, 2019

- Added Norwegian (Nynorsk) translations
- Fixed loss of focus in non-form input elements due to search hotkeys
- Fixed #1067: Search hotkeys not working for mobile/tablet screensize
- Fixed #1068: Search not correctly aligned for tablet screensize

## 4.1.2 \_ April 16, 2019

- Fixed #1072: HTML tags appearing in navigation link titles

## 4.1.1 \_ March 28, 2019

- Fixed minor CSS errors detected during validation

## 4.1.0 \_ March 22, 2019

- Fixed #1023: Search for Asian languages broken after Lunr.js update
- Fixed #1026: contenteditable elements loose focus on hotkeys

## 4.0.2 \_ March 1, 2019

- Fixed #1012: HTML character entities appear in search result titles

## 4.0.1 \_ February 13, 2019

- Fixed #762, #816: Glitch in sidebar when collapsing items
- Fixed #869: Automatically expand details before printing

## 4.0.0 \_ February 13, 2019

- Added background on hover for table rows
- Removed Google Tag Manager and reverted to Google Analytics
- Removed blocks in partials - Jinja doesn't support them
- Fixed #911: Chrome breaks layout if system language is Chinese [BREAKING]
- Fixed #976: Removed FastClick

## 3.3.0 \_ January 29, 2019

- Moved Google Analytics integration into `head` using Google Tag Manager
- Fixed #972: Unicode slugifier breaks table of contents blur on scroll
- Fixed #974: Additional links in table of contents break blur on scroll

## 3.2.0 \_ December 28, 2018

- Added support for redirects using metadata refresh
- Fixed #921: Load Google Analytics snippet asynchronously

## 3.1.0 \_ November 17, 2018

- Added support for Progressive Web App Manifest
- Fixed #915: Search bug in Safari (upgraded Lunr.js)

## 3.0.6 \_ October 26, 2018

- Added Taiwanese translations
- Fixed #906: JavaScript code blocks evaluated in search results

## 3.0.5 \_ October 23, 2018

- Added Croatian and Indonesian translations
- Fixed #899: Skip-to-content link invalid from 2nd level on
- Fixed #902: Missing URL filter in footer for FontAwesome link

## 3.0.4 \_ September 3, 2018

- Updated Dutch translations
- Fixed #856: Removed preconnect meta tag if Google Fonts are disabled

## 3.0.3 \_ August 7, 2018

- Fixed #841: Additional path levels for extra CSS and JS

## 3.0.2 \_ August 6, 2018

- Fixed #839: Lunr.js stemmer imports incorrect

## 3.0.1 \_ August 5, 2018

- Fixed #838: Search result links incorrect

## 3.0.0 \_ August 5, 2018

- Upgraded MkDocs to 1.0 [BREAKING]
- Upgraded Python in official Docker image to 3.6
- Added Serbian and Serbo-Croatian translations

## 2.9.4 \_ July 29, 2018

- Fixed build error after MkDocs upgrade

## 2.9.3 \_ July 29, 2018

- Added link to home for logo in drawer
- Fixed dependency problems between MkDocs and Tornado

## 2.9.2 \_ June 29, 2018

- Added Hindi and Czech translations

## 2.9.1 \_ June 18, 2018

- Added support for different spellings for theme color
- Fixed #799: Added support for web font minification in production
- Fixed #800: Added `.highlighttable` as an alias for `.codehilitetable`

## 2.9.0 \_ June 13, 2018

- Added support for theme color on Android
- Fixed #796: Rendering of nested tabbed code blocks

## 2.8.0 \_ June 10, 2018

- Added support for grouping code blocks with tabs
- Added Material and FontAwesome icon fonts to distribution files (GDPR)
- Added note on compliance with GDPR
- Added Slovak translations
- Fixed #790: Prefixed `id` attributes with `__` to avoid name clashes

## 2.7.3 \_ April 26, 2018

- Added Finnish translations

## 2.7.2 \_ April 9, 2018

- Fixed rendering issue for `details` on Edge

## 2.7.1 \_ March 21, 2018

- Added Galician translations
- Fixed #730: Scroll chasing error on home page if Disqus is enabled
- Fixed #736: Reset drawer and search upon back button invocation

## 2.7.0 \_ March 6, 2018

- Added ability to set absolute URL for logo
- Added Hebrew translations

## 2.6.6 \_ February 22, 2018

- Added preconnect for Google Fonts for faster loading
- Fixed #710: With tabs sidebar disappears if JavaScript is not available

## 2.6.5 \_ February 22, 2018

- Reverted `--dev-addr` flag removal from `Dockerfile`

## 2.6.4 \_ February 21, 2018

- Added Catalan translations
- Fixed incorrect margins for buttons in Firefox and Safari
- Replaced package manager `yarn` with `npm 5.6`
- Reverted GitHub stars rounding method
- Removed `--dev-addr` flag from `Dockerfile` for Windows compatibility

## 2.6.3 \_ February 18, 2018

- Added Vietnamese translations

## 2.6.2 \_ February 12, 2018

- Added Arabic translations
- Fixed incorrect rounding of amount of GitHub stars
- Fixed double-layered borders for tables

## 2.6.1 \_ February 11, 2018

- Added ability to override Disqus integration using metadata
- Fixed #690: Duplicate slashes in source file URLs
- Fixed #696: Active page highlight not working with default palette
- Adjusted German translations

## 2.6.0 \_ February 2, 2018

- Moved default search configuration to default translation (English)
- Added support to automatically set text direction from translation
- Added support to disable search stop word filter in translation
- Added support to disable search trimmer in translation
- Added Persian translations
- Fixed support for Polish search
- Fixed disappearing GitHub, GitLab and Bitbucket repository icons

## 2.5.5 \_ January 31, 2018

- Added Hungarian translations

## 2.5.4 \_ January 29, 2018

- Fixed #683: `gh-deploy` fails inside Docker

## 2.5.3 \_ January 25, 2018

- Added Ukrainian translations

## 2.5.2 \_ January 22, 2018

- Added default search language mappings for all localizations
- Fixed #673: Error loading non-existent search language
- Fixed #675: Uncaught reference error when search plugin disabled

## 2.5.1 \_ January 20, 2018

- Fixed permalink for main headline
- Improved missing translation handling with English as a fallback
- Improved accessibility with skip-to-content link

## 2.5.0 \_ January 13, 2018

- Added support for right-to-left languages

## 2.4.0 \_ January 11, 2018

- Added focus state for clipboard buttons
- Fixed #400: Search bar steals tab focus
- Fixed search not closing on ++enter++ when result is selected
- Fixed search not closing when losing focus due to ++tab++
- Fixed collapsed navigation links getting focus
- Fixed `outline` being cut off on ++tab++ focus of navigation links
- Fixed bug with first search result navigation being ignored
- Removed search result navigation via ++tab++ (use ++up++ and ++down++)
- Removed `outline` resets for links
- Improved general tabbing behavior on desktop

## 2.3.0 \_ January 9, 2018

- Added `example` (synonym: `snippet`) style for Admonition
- Added synonym `abstract` for `summary` style for Admonition

## 2.2.6 \_ December 27, 2017

- Added Turkish translations
- Fixed unclickable area below header in case JavaScript is not available

## 2.2.5 \_ December 18, 2017

- Fixed #639: Broken default favicon

## 2.2.4 \_ December 18, 2017

- Fixed #638: Build breaks with Jinja < 2.9

## 2.2.3 \_ December 13, 2017

- Fixed #630: Admonition sets padding on any last child
- Adjusted Chinese (Traditional) translations

## 2.2.2 \_ December 8, 2017

- Added Dutch translations
- Adjusted targeted link and footnote offsets
- Simplified Admonition styles and fixed padding bug

## 2.2.1 \_ December 2, 2017

- Fixed #616: Minor styling error with title-only admonition blocks
- Removed border for table of contents and improved spacing

## 2.2.0 \_ November 22, 2017

- Added support for hero teaser
- Added Portuguese translations
- Fixed #586: Footnote backref target offset regression
- Fixed #605: Search stemmers not correctly loaded

## 2.1.1 \_ November 21, 2017

- Replaced deprecated `babel-preset-es2015` with `babel-preset-env`
- Refactored Gulp build pipeline with Webpack
- Removed right border on sidebars
- Fixed broken color transition on header

## 2.1.0 \_ November 19, 2017

- Added support for `white` as a primary color
- Added support for sliding site name and title
- Fixed redundant clipboard button when using line numbers on code blocks
- Improved header appearance by making it taller
- Improved tabs appearance
- Improved CSS customizability by leveraging inheritance
- Removed scroll shadows via `background-attachment`

## 2.0.4 \_ November 5, 2017

- Fixed `details` not opening with footnote reference

## 2.0.3 \_ November 5, 2017

- Added Japanese translations
- Fixed #540: Jumping to anchor inside `details` doesn't open it
- Fixed active link colors in footer

## 2.0.2 \_ November 1, 2017

- Added Russian translations
- Fixed #542: Horizontal scrollbar between `1220px` and `1234px`
- Fixed #553: Metadata values only rendering first character
- Fixed #558: Flash of unstyled content
- Fixed favicon regression caused by deprecation upstream

## 2.0.1 \_ October 31, 2017

- Fixed error when initializing search
- Fixed styles for link to edit the current page
- Fixed styles on nested admonition in details

## 2.0.0 \_ October 31, 2017

- Added support for MkDocs 0.17.1 theme configuration options
- Added support for easier configuration of search tokenizer
- Added support to disable search
- Added Korean translations
- Removed support for MkDocs 0.16.x [BREAKING]

## 1.12.2 \_ October 26, 2017

- Added Italian, Norwegian, French and Chinese translations

## 1.12.1 \_ October 22, 2017

- Added Polish, Swedish and Spanish translations
- Improved downward compatibility with custom partials
- Temporarily pinned MkDocs version within Docker image to 0.16.3
- Fixed #519: Missing theme configuration file

## 1.12.0 \_ October 20, 2017

- Added support for setting language(s) via `mkdocs.yml`
- Added support for default localization
- Added German and Danish translations
- Fixed #374: Search bar misalignment on big screens

## 1.11.0 \_ October 19, 2017

- Added localization to clipboard
- Refactored localization logic

## 1.10.4 \_ October 18, 2017

- Improved print styles of code blocks
- Improved search UX (don't close on enter if no selection)
- Fixed #495: Vertical scrollbar on short pages

## 1.10.3 \_ October 11, 2017

- Fixed #484: Vertical scrollbar on some MathJax formulas
- Fixed #483: Footnote backref target offset regression

## 1.10.2 \_ October 6, 2017

- Fixed #468: Sidebar shows scrollbar if content is shorter (in Safari)

## 1.10.1 \_ September 14, 2017

- Fixed #455: Bold code blocks rendered with normal font weight

## 1.10.0 \_ September 1, 2017

- Added support to make logo default icon configurable
- Fixed uninitialized overflow scrolling on main pane for iOS
- Fixed error in mobile navigation in case JavaScript is not available
- Fixed incorrect color transition for nested panes in mobile navigation
- Improved checkbox styles for Tasklist from PyMdown Extension package

## 1.9.0 \_ August 29, 2017

- Added `info` (synonym: `todo`) style for Admonition
- Added `question` (synonym: `help`, `faq`) style for Admonition
- Added support for Details from PyMdown Extensions package
- Improved Admonition styles to match Details
- Improved styles for social links in footer
- Replaced ligatures with Unicode code points to avoid broken layout
- Upgraded PyMdown Extensions package dependency to  $\geq 3.4$

## 1.8.1 \_ August 7, 2017

- Fixed #421: Missing pagination for GitHub API

## 1.8.0 \_ August 2, 2017

- Added support for lazy-loading of search results for better performance
- Added support for customization of search tokenizer/separator
- Fixed #424: Search doesn't handle capital letters anymore
- Fixed #419: Search doesn't work on whole words

## 1.7.5 \_ July 25, 2017

- Fixed #398: Forms broken due to search shortcuts
- Improved search overall user experience
- Improved search matching and highlighting

- Improved search accessibility

## 1.7.4 \_ June 21, 2017

- Fixed functional link colors in table of contents for active palette
- Fixed #368: Compatibility issues with IE11

## 1.7.3 \_ June 7, 2017

- Fixed error when setting language to Japanese for site search

## 1.7.2 \_ June 6, 2017

- Fixed offset of search box when `repo_url` is not set
- Fixed non-disappearing tooltip

## 1.7.1 \_ June 1, 2017

- Fixed wrong `z-index` order of header, overlay and drawer
- Fixed wrong offset of targeted footnote back references

## 1.7.0 \_ June 1, 2017

- Added "copy to clipboard" buttons to code blocks
- Added support for multilingual site search
- Fixed search term highlighting for non-latin languages

## 1.6.4 \_ May 24, 2017

- Fixed #337: JavaScript error for GitHub organization URLs

## 1.6.3 \_ May 16, 2017

- Fixed #329: Broken source stats for private or unknown GitHub repos

## 1.6.2 \_ May 15, 2017

- Fixed #316: Fatal error for git clone on Windows
- Fixed #320: Chrome 58 creates double underline for `abbr` tags
- Fixed #323: Ligatures rendered inside code blocks
- Fixed miscalculated sidebar height due to missing margin collapse
- Changed deprecated MathJax CDN to Cloudflare

## 1.6.1 \_ April 23, 2017

- Fixed following of active/focused element if search input is focused
- Fixed layer order of search component elements

## 1.6.0 \_ April 22, 2017

- Added build test for Docker image on Travis
- Added search overlay for better user experience (focus)
- Added language from localizations to `html` tag
- Fixed #270: source links broken for absolute URLs
- Fixed missing top spacing for first targeted element in content
- Fixed too small footnote divider when using larger font sizes

## 1.5.5 \_ April 20, 2017

- Fixed #282: Browser search (`Meta+F`) is hijacked

## 1.5.4 \_ April 8, 2017

- Fixed broken highlighting for two or more search terms
- Fixed missing search results when only a `h1` is present
- Fixed unresponsive overlay on Android

## 1.5.3 \_ April 7, 2017

- Fixed deprecated calls for template variables
- Fixed wrong palette color for focused search result
- Fixed JavaScript errors on 404 page
- Fixed missing top spacing on 404 page
- Fixed missing right spacing on overflow of source container

## 1.5.2 \_ April 5, 2017

- Added requirements as explicit dependencies in `setup.py`
- Fixed non-synchronized transitions in search form

## 1.5.1 \_ March 30, 2017

- Fixed rendering and offset of targetted footnotes
- Fixed #238: Link on logo is not set to `site_url`

## 1.5.0 \_ March 24, 2017

- Added support for localization of search placeholder
- Added keyboard events for quick access of search
- Added keyboard events for search control
- Added opacity on hover for search buttons
- Added git hook to skip CI build on non-src changes
- Fixed non-resetting search placeholder when input is cleared
- Fixed error for unescaped parentheses in search term
- Fixed #229: Button to clear search missing
- Fixed #231: Escape key doesn't exit search
- Removed old-style figures from font feature settings

## 1.4.1 \_ March 16, 2017

- Fixed invalid destructuring attempt on NodeList (in Safari, Edge, IE)

## 1.4.0 \_ March 16, 2017

- Added support for grouping searched sections by documents
- Added support for highlighting of search terms
- Added support for localization of search results
- Fixed #216: table of contents icon doesn't show if `h1` is not present
- Reworked style and layout of search results for better usability

## 1.3.0 \_ March 11, 2017

- Added support for page-specific title and description using metadata

- Added support for linking source files to documentation
- Fixed jitter and offset of sidebar when zooming browser
- Fixed incorrectly initialized tablet sidebar height
- Fixed regression for #1: GitHub stars break if `repo_url` ends with a `/`
- Fixed undesired white line below copyright footer due to base font scaling
- Fixed issue with whitespace in path for scripts
- Fixed #205: support non-fixed (static) header
- Refactored footnote references for better visibility
- Reduced repaints to a minimum for non-tabs configuration
- Reduced contrast of edit button (slightly)

## 1.2.0 \_ March 3, 2017

- Added `quote` (synonym: `cite`) style for Admonition
- Added help message to build pipeline
- Fixed wrong navigation link colors when applying palette
- Fixed #197: Link missing in tabs navigation on deeply nested items
- Removed unnecessary dev dependencies

## 1.1.1 \_ February 26, 2017

- Fixed incorrectly displayed nested lists when using tabs

## 1.1.0 \_ February 26, 2017

- Added tabs navigation feature (optional)
- Added Disqus integration (optional)
- Added a high resolution Favicon with the new logo
- Added static type checking using Facebook's Flow
- Fixed #173: Dictionary elements have no bottom spacing
- Fixed #175: Tables cannot be set to 100% width
- Fixed race conditions in build related to asset revisioning
- Fixed accidentally re-introduced Permalink on top-level headline
- Fixed alignment of logo in drawer on IE11
- Refactored styles related to tables
- Refactored and automated Docker build and PyPI release
- Refactored build scripts

## 1.0.5 \_ February 18, 2017

- Fixed #153: Sidebar flows out of constrained area in Chrome 56

- Fixed #159: Footer jitter due to JavaScript if content is short

## 1.0.4 \_ February 16, 2017

- Fixed #142: Documentation build errors if `h1` is defined as raw HTML
- Fixed #164: PyPI release does not build and install
- Fixed offsets of targeted headlines
- Increased sidebar font size by `0.12rem`

## 1.0.3 \_ January 22, 2017

- Fixed #117: Table of contents items don't blur on fast scrolling
- Refactored sidebar positioning logic
- Further reduction of repaints

## 1.0.2 \_ January 15, 2017

- Fixed #108: Horizontal scrollbar in content area

## 1.0.1 \_ January 14, 2017

- Fixed massive repaints happening when scrolling
- Fixed footer back reference positions in case of overflow
- Fixed header logo from showing when the menu icon is rendered
- Changed scrollbar behavior to only show when content overflows

## 1.0.0 \_ January 13, 2017

- Introduced Webpack for more sophisticated JavaScript bundling
- Introduced ESLint and Stylelint for code style checks
- Introduced more accurate Material Design colors and shadows
- Introduced modular scales for harmonic font sizing
- Introduced git-hooks for better development workflow
- Rewrite of CSS using the BEM methodology and SassDoc guidelines
- Rewrite of JavaScript using ES6 and Babel as a transpiler
- Rewrite of Admonition, Permalinks and CodeHilite integration
- Rewrite of the complete typographical system
- Rewrite of Gulp asset pipeline in ES6 and separation of tasks
- Removed Bower as a dependency in favor of NPM

- Removed custom icon build in favor of the Material Design iconset
- Removed `_blank` targets on links due to vulnerability: <http://bit.ly/1Mk2Rtw>
- Removed unversioned assets from build directory
- Restructured templates into base templates and partials
- Added build and watch scripts in `package.json`
- Added support for Metadata and Footnotes Markdown extensions
- Added support for PyMdown Extensions package
- Added support for collapsible sections in navigation
- Added support for separate table of contents
- Added support for better accessibility through REM-based layout
- Added icons for GitHub, GitLab and BitBucket integrations
- Added more detailed documentation on specimen, extensions etc.
- Added a `404.html` error page for deployment on GitHub Pages
- Fixed live reload chain in watch mode when saving a template
- Fixed variable references to work with MkDocs 0.16

## 0.2.4 \_ June 26, 2016

- Fixed improperly set default favicon
- Fixed #33: Protocol relative URL for webfonts doesn't work with `file://`
- Fixed #34: IE11 on Windows 7 doesn't honor `max-width` on `main` tag
- Fixed #35: Add styling for blockquotes

## 0.2.3 \_ May 16, 2016

- Fixed #25: Highlight inline fenced blocks
- Fixed #26: Better highlighting for keystrokes
- Fixed #30: Suboptimal syntax highlighting for PHP

## 0.2.2 \_ March 20, 2016

- Fixed #15: Document Pygments dependency for CodeHilite
- Fixed #16: Favicon could not be set through `mkdocs.yml`
- Fixed #17: Put version into own container for styling
- Fixed #20: Fix rounded borders for tables

## 0.2.1 \_ March 12, 2016

- Fixed #10: Invisible header after closing search bar with `ESC` key
- Fixed #13: Table cells don't wrap
- Fixed empty list in table of contents when no headline is defined

- Corrected wrong path for static asset monitoring in Gulpfile.js
- Set up tracking of site search for Google Analytics

## 0.2.0 \_ February 24, 2016

- Fixed #6: Include multiple color palettes via `mkdocs.yml`
- Fixed #7: Better colors for links inside admonition notes and warnings
- Fixed #9: Text for prev/next footer navigation should be customizable
- Refactored templates (replaced `if/else` with modifiers where possible)

## 0.1.3 \_ February 21, 2016

- Fixed #3: Ordered lists within an unordered list have `::before` content
- Fixed #4: Click on Logo/Title without Github-Repository: `"None"`
- Fixed #5: Page without headlines renders empty list in table of contents
- Moved Modernizr to top to ensure basic usability in IE8

## 0.1.2 \_ February 16, 2016

- Fixed styles for deep navigational hierarchies
- Fixed webfont delivery problem when hosted in subdirectories
- Fixed print styles in mobile/tablet configuration
- Added option to configure fonts in `mkdocs.yml` with fallbacks
- Changed styles for admonition notes and warnings
- Set download link to latest version if available
- Set up tracking of outgoing links and actions for Google Analytics

## 0.1.1 \_ February 11, 2016

- Fixed #1: GitHub stars don't work if the `repo_url` ends with a `/`
- Updated NPM and Bower dependencies to most recent versions
- Changed footer/copyright link to Material theme to GitHub pages
- Made MkDocs building/serving in build process optional
- Set up continuous integration with Travis

## 0.1.0 \_ February 9, 2016

- Initial release

Updated 2026-03-28 12:15:43 UTC by foss.global Team